Form 3400-11 (September 1967) (formerly 4-683)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

Mineral Survey number 4694 State Arizona Land District

Arizona

Of the Survey of the Mining Claim of (name and address of Claimant) Inspiration Consolidated Copper Company c/o Henry Ladendorff, Attorney at Law Suite 716 Arizona Bank Building Phoenix, Arizona 85003

Known as the (name of group, if any)

WASTE DUMP GROUP

January 28, 1972

NAME OF LOCATION	ON	DA	TE
Man of Bockin	ON .	LOCATED	AMENDE
IL 40		7/17/67	3/15/7
IL 42		7/17/67	3/15/71
IL 43		7/17/67	3/15/71
IL 44		7/17/67	3/15/71
IL 45		7/17/67	3/15/71
IL 46		7/17/67	3/15/71
IL 47		7/17/67	3/15/71
IL 49		7/17/67	3/15/71
IL 53		7/17/67	3/15/71
IL 55		7/17/67	3/15/71
IL 59		7/17/67	3/15/71
IL 62		7/17/67	3/15/71
IL 65		7/17/67	3/15/71
IL 67		7/17/67	3/15/71
IL 78		7/ 17/67	3/15/71
IL 79		7/17/67	3/15/71
INSPIRATION MILL SITE NO. IL 50		7/17/67	
INSPIRATION MILL SITE NO. IL 52		7/17/67	
INSPIRATION MILL SITE NO. IL 54		7/17/67	
INSPIRATION MILL SITE NO. IL 56		7/17/67	
INSPIRATION MILL SITE NO. IL 58		7/17/67	
NSPIRATION MILL SITE NO. IL 64		7/17/67	
NSPIRATION MILL SITE NO. IL 66		7/17/67	
ning district Globe	County Gila		
ction S Township Range	Meridian	Survey under	order dete

Travis L. Gant

201 11115

The state of the s

NAME OF LOCAT	TION
---------------	------

3

INSPIRATION MILL S	SITE NO. IL	68	7/17/67
INSPIRATION MILL S	SITE NO. IL	69	7/17/67
INSPIRATION MILL S	SITE NO. IL	70	7/17/67
INSPIRATION MILL S	SITE NO. IL	71	7/17/67
INSPIRATION MILL S	SITE NO. IL	72	7/17/67
INSPIRATION MILL S	SITE NO. IL	73	7/17/67
INSPIRATION MILL S	SITE NO. IL	74	7/17/67
INSPIRATION MILL S	SITE NO. IL	75	7/17/67
INSPIRATION MILL S	SITE NO. IL	76	7/17/67
INSPIRATION MILL S	SITE NO. IL	77	7/17/67
INSPIRATION MILL S	SITE NO. IL	80	7/17/67
INSPIRATION MILL S	SITE NO. IL	81	7/17/67
INSPIRATION MILL S	SITE NO. IL	82	7/17/67

£3/£1/1			ed II		1870		
73/11/67						ROTTARISERI	
19/11/4				E .US. amend		3917A7 (1886)	
Talles			17 .1	.com.silit		tollatisati	
7/17/67					1.00	TO DESCRIPTION	
78/71/7			4, 0	.O4 131s		INSECLATION	
70/51/57	L Native	QLIN(17	. 163 and			
19721/2			25. J	, dager	and the	nostosiyayı	
7/11/67	EL SILV		19.4.11	a callere		MULTANTON	
7717/67			at of	To the prize			
7/17/67						MATERIAL TEXT	
2972374				, Or The		071481177	
10/11/5			58 11	.nw arra			

This survey was made with a W. & L.E. Gurley transit, No. 57289, equipped with horizontal limb $6\frac{1}{2}$ ins. diam., having two double opposite verniers, and a full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 30 secs. of arc; the vertical vernier reads to one minute of arc. This instrument was used in all-purpose taping and alignment procedures where great distances were not involved. Distances greater than 500 feet were measured in many cases using electronic distance measuring equipment, i.e., the Hewlett-Packard Model 3800 Distance Meter, Ser. No. 0987 A 00472, having a range of 10,000 feet and an absolute accuracy in the normal operating temperature range of 0.01 feet + the distance measured divided by 100,000. In all instances wherein the distance meter was used, vertical angles were measured with a Kern theodolite, Model DKM 2 AE, Serial No. 145997, with microscopic angle-reading capabilities enabling the instrument man to read angles, either horizontal or vertical, to 1 sec. of arc. All three of these instruments were in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

November 23, 1971, at Cor. No. 4 of the IL 55 mill site, in latitude 33° 22' 54.6" N., and longitude 110° 54' 53" W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the theodolite telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 1500 feet southwesterly clockwise to the sun.

Mean time of observation, 105th meridian standard time 10:29 a.m.

Declination of sun at mean time of observation = 20° 18' 48" S.

Mean observed vertical angle to sun's center, corrected for refraction and parallax = 31° 11' 18"

Mean horizontal angle from reference point to sun's center, turned clockwise and to the right to suns center= 301° 44' 11"

True bearing to reference point = S. 30° 29' 50" W.

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 ft., with an added foot on the zero end graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200 ft. in length, measured as a base-line with a standard 100.00/tape, and found to be precise and accurate.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 13° 30' E.

Note concerning monumentation: With the exception of those corners which were not monumented for measons given in each case, or which were monumented as otherwise described herein, I have set iron posts at each corner of each mill site claim comprising this survey. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a 1 ins. exterior diam.; each pipe has been placed in the ground in a foundation consisting of not less than ½ cu. ft. of high early strength portland cement concrete mixed at the site. Brass caps have been securely attached and marked as described, using 1/8-in. steel dies for stamping. Alongside every corner monument I have erected a rock monument having a base two feet minimum diam., and a height of not less than two feet.

SURVEY NO. 4694

IL 40 Mill Site

At Cor. No. 1 of the IL 40 mill site, identical with Cors. Nos. 1 of the IL 42 and IL 43 mill sites of this survey.

Set an iron post, 1 ins. diam., 2 ft. long, 17 ins. in the ground, with brass cap mkd. IL 40-1, IL 42-1, and IL 43-1-4694; from which

The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S., 11° 39' 01" E., 3266.63 ft. dist., an iron post, 2 ins. diam., surrounded by a mound of stone raised to base of U.S. B.L.M. brass cap marked as described in the official record.

	30KVEI NO. 4094 3.
FEET	
	the state of the s
	Cor. No. 2 Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode bears N. 72° 28' 40" W., 75.38 ft. dist.
	Cor. No. 2 Sur. No. 4684A BLUEBIRD NO. 20 lode bears N. 7° 17' 50" W., 145.90 ft. dist.
	Thence N. 83° 31' 20" W.
596.81	Cor. No. 2, identical with Cor. No. 4 of the IL 42 mill site of this survey, established on line 3-4 Sur. No. 3953 Copper Fortune lode.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 40-2 and IL 42-4-4694.
	Thence N. 8° 56' 25" E.
153.00	Cor. No. 3, identical with Cor. No. 3 Sur. No. 3953 Copper Fortune lode, Cor. No. 2 Sur. No. 3953 Copper Panther No. 2 lode, and Cor. No. 4 Sur. No. 3953 Candelaria lode.
1941 2 _ [94]	To the existing $2\frac{1}{2}$ ins. diam. brass cap monument I add the following: IL 40-3-4694.
*	Thence N. 83° 15' 42" E.
601.09	Cor. No. 4, identical with Cor. No. 1 Sur. No. 3953 Copper Panther No. 2 lode, situated on line 2-3 Sur. No. 4684A BLUEBIRD NO. 20 lode at a point from which Cor. No. 2 bears S. 17° 46' 26" W., 151.51 ft. dist.
	To the existing $2\frac{1}{2}$ ins. diam. brass cap monument I add the following: IL 40-4-4694.
	Thence S. 55° 43' 30" E.
50.81	Intersect line 2-3 Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode at a point from which Cor. No. 2 bears S. 30° 46' 54" W., 276.66 ft. dist.
121.15	Cor. No. 5, identical with Cor. No. 2 of the IL 43 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap marked IL 40-5, and IL 43-2-4694.
	Thence S. 30° 04' 21" W.
72.87	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 20 lode at a point from which Cor. No. 2 bears S. 83° 15' 20" W., 110.61 ft. dist.

	SURVEY NO. 4694 4.
FEET	
244.85	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode at a point from which Cor. No. 2 bears N. 79° 49' 55" W., 78.25 ft. dist.
255.12	Cor. No. 1, and place of beginning.
	IL 42 Mill Site
	Beginning at Cor. No. 1 of the IL 42 mill site, identical with Cors. Nos. 1 of the IL 40 and the IL 43 mill sites of this survey.
	Thence S. 0° 00' 20" E.
244.09	Cor. No. 2, identical with Cor. No. 3 of the IL 45 mill site, and Cors. Nos. 4 of the IL 43 and IL 44 mill sites of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 42-2, IL 43-4, and IL 44-4, and IL 45-3-4694.
	Thence N. 89° 16' 16" W.
640.78	Cor. No. 3, identical with Cor. No. 3 of the IL 44 mill site of this survey, established on line 3-4 Sur. No. 3953 Copper Fortune lode, at a point from which Cor. No. 4 bears S. 8° 56' 25" W., 789.55 ft. dist.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 42-3, and IL 44-3-4694.
	Thence N. 8° 56' 25" E.
307.00	Cor. No. 4, identical with Cor. No. 2 of the IL 40 mill site of this survey, on line 3-4 Sur. No. 3953 Copper Fortune lode.
	Thence S. 83° 31' 20" E.
596.81	Cor. No. 1, and place of beginning.
	IL 43 Mill Site
	Beginning at Cor. No. 1 of the IL 43 mill site, identical with Cors. Nos. 1 of the IL 40 and the IL 42 mill sites of this survey.
	Thence N. 30° 04' 20" E.
10.27	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode at a point from which Cor. No. 1 bears S. 79° 49' 55" E., 526.75 ft. dist.

	SURVEY NO. 4694 5.
FEET	
182.25	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 20 lode at a point from which Cor. No. 2 bears S. 83° 15' 20" W., 110.61 ft. dist.
255.12	Cor. No. 2, identical with Cor. No. 5 of the IL 40 mill site of this survey.
	Thence S. 38° 16' 18" E.
68.44	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 20 lode at a point from which Cor. No. 2 bears S. 83° 15' 20" W., 190.07 ft. dist.
289.12	Intersect line 2-3 Sur. No. 4684B JOAN MILL SITE 55 at a point from which Cor. No. 2 bears S. 31° 32' 20" W., 193.15 ft. dist.
347.03	Intersect line 1-2 Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode at a point from which Cor. No. 1 bears S. 79° 49' 55" E., 183.72 ft. dist.
592.12	Cor. No. 3, identical with Cor. No. 4 of the IL 45 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 43-3, and IL 45-4-4694; from which
	Cor. No. 2 Sur. No. 4684B JOAN MILL SITE 55 bears N. 75° 44' 45" W., 297.85 ft. dist. Thence WEST
171.80	Intersect line 1-2 Sur. No. 4684B JOAN MILL SITE 55 at a point from which Cor. No. 2 bears N. 57° 55' 40" W., 137.96 ft. dist.
494.57	Cor. No. 4, identical with Cor. No. 2 of the IL 42 mill site, Cor. No. 4 of the IL 44 mill site, and Cor. No. 3 of the IL 45 mill site of this survey.
	Thence N. 0° 00' 20" W.
244.09	Cor. No. 1, and place of beginning.
	IL 44 Mill Site
	At Cor. No. 1 of the IL 44 mill site, identical with Cor. No. 2 of the IL 45 mill site, Cor. No. 1 of the IL 46 mill site, and Cor. No. 3 of the IL 47 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 44-1, IL 45-2, IL 46-1, and IL 47-3-4694; from which

SURVEY NO. 4694 FEET The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 14° 05' 52" E., 2707.98 ft. dist., previously described. Thence N. 84° 57' 30" W. Cor. No. 2, identical with Cor. No. 5 of the IL 46 mill site of this survey, established 686.93 on line 3-4 Sur. No. 3953 Copper Fortune lode at a point from which Cor. No. 4 bears S. 8° 56' 25" W., 509.55 ft. dist. Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 44-2, and IL 46-5-4694. Thence N. 8° 56' 25" E. 280.00 Cor. No. 3, identical with Cor. No. 3 of the IL 42 mill site of this survey, on line 3-4 Sur. No. 3953 Copper Fortune lode. Thence S. 89° 16' 16" E. 640.78 Cor. No. 4, identical with Cor. No. 2 of the IL 42 mill site, Cor. No. 4 of the IL 43 mill site, and Cor. No. 3 of the IL 45 mill site of this survey. Thence S. 0° 00' 20" E. 328.82 Cor. No. 1, and place of beginning. IL 45 Mill Site At Cor. No. 1 of the IL 45 mill site, identical with Cor. No. 2 of the IL 62 mill site and Cor. No. 4 of the IL 47 mill site of this survey. Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 45-1, IL 47-4, and IL 62-2-4694; from which The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 12" W., 2604.56 ft. dist., previously described. Thence N. 88° 06' 07" W. 660.11 Cor. No. 2, identical with Cors. Nos. 1 of the IL 44 and the IL 46 mill sites, and Cor. No. 3 of the IL 47 mill site of this survey.

FEET	50KVET NO: 4054
1201	
	Thence N. 0° 00' 20" W.
200.00	
328.82	Cor. No. 3, identical with Cor. No. 2 of the
	IL 42 mill site, and Cors. Nos. 4 of the IL
	43 and IL 44 mill sites of this survey.
	Thence EAST
	Thence East
322.77	Intersect line 1-2 Sur. No. 4684B JOAN MILL
322.77	SITE 55 at a point from which Cor. No. 1,
	identical with Cor. No. 2 Sur. No. 4684B LOTUS
	MILL SITE 6, bears S. 57° 55' 40" E., 225.04
	ft. dist.
494.57	Cor. No. 4, identical with Cor. No. 3 of the
	IL 43 mill site of this survey; from which
	Cor. No. 1 Sur. No. 4684B JOAN MILL SITE
	55, identical with Cor. No. 2 Sur. No.
	4684B LOTUS MILL SITE 6, bears S. 8° 59'
	20" E., 120.97 ft. dist.
7 (200-1)	
	Thence S. 38° 16' 18" E.
83.75	Intersect line 4-1 Sur. No. 4684B JOAN MILL
03.75	SITE 55, and line 2-3 Sur. No. 4684B LOTUS
	MILL SITE 6, at a point from which Cors. Nos.
	1 and 2 respectively bear S. 31° 32' 20" W.,
- 12 v	63.05 ft. dist.
	The two magnetic and the state of the state
271.19	Cor. No. 5, identical with Cor. No. 3 of the
10	IL 62 mill site of this survey, established
	on line 1-2 Sur. No. 4684B LOTUS MILL SITE 6
	at a point from which Cor. No. 2, identical
	with Cor. No. 1'Sur. No. 4684B JOAN MILL SITE
7.	55, bears N. 57° 55' 40" W., 175.93 ft. dist.
74 3 3	Set an iron post, 2 ft. long, 1 ins. diam., 17
	ins. in the ground, with brass cap mkd. IL
	45-5, and IL 62-3-4694.
	Thence S. 1° 09' W.
	Thence b. 1 07 W.
137.80	Cor. No. 1, and place of beginning.
samulle 2 m	ilandialistata e e e e e e e e e e e e e e e e e e
A Section 1	
(149 Cirl 9 Cir	IL 46 Mill Site
5 3	
E-2	Beginning at Cor. No. 1 of the IL 46 mill site,
- III 1	identical with Cor. No. 1 of the IL 44 mill
142 150 12	site, Cor. No. 2 of the IL 45 mill site, and
- 11.79 8 4 1	Cor. No. 3 of the IL 47 mill site of this
	survey.
w	Thence S. 0° 00' 20" E.
	inence 5. 0 00 20 E.
329.05	Cor. No. 2, identical with Cor. No. 2 of the
	IL 47 mill site, Cor. No. 5 of the IL 49 mill
	site, and Cor. No. 3 of the INSPIRATION MILL
	SITE NO. IL 50 of this survey.
1	

	•	1
٦.	١	ı
_	_	_

Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 46-2, IL 47-2, IL 49-5, and IL 50-3-4694.

Thence WEST

359.95

Cor. No. 3, identical with Cor. No. 4 of the IL 49 mill site of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 46-3, and IL 49-4-4694.

Thence N. 57° 48' 18" W.

414.62

Cor. No. 4, established on line 3-4 Sur. No. 3953 Copper Fortune lode at a point from which Cor. No. 4 beass S. 8° 56' 25" W., 338.97 ft. dist.

Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 46-4-4694.

Thence N. 8° 56' 25" E.

170.58

Cor. No. 5, identical with Cor. No. 2 of the IL 44 mill site of this survey, on line 3-4 Sur. No. 3953 Copper Fortune lode.

Thence S. 84° 57' 30" E.

686.93

Cor. No. 1, and place of beginning.

IL 47 Mill Site

At Cor. No. 1 of the IL 47 mill site, identical with Cor. No. 1 of the IL 62 mill site, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 50, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 64 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground with brass cap mkd. IL 47-1, IL 50-4, IL 62-1, and IL 64-2-4694; from which

The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 11" W., 2297.17 ft. dist., previously described.

Thence N. 89° 58' 56" W.

370

Road; bears N. 5° W. and S. 5° E.

9.

	The state of the s
FEET	
659.68	Cor. No. 2, identical with Cor. No. 2 of the IL 46 mill site, Cor. No. 5 of the IL 49 mill site, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 50 of this survey.
9 56	Thence N. 0° 00' 20" W.
329.05	Cor. No. 3, identical with Cor. No. 2 of the IL 45 mill site, and Cors. Nos. 1 of the IL 44 and the IL 46 mill sites of this survey.
	Thence S. 88° 06' 07" E.
660.11	Cor. No. 4, identical with Cor. No. 1 of the IL 45 mill site and Cor. No. 2 of the IL 62 mill site of this survey.
	Thence S. 0° 00' 22" W.
307.39	Cor. No. 1, and place of beginning.
	IL 49 Mill Site
	At Cor. No. 1 of the IL 49 mill site, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 52, Cor. No. 1 of the IL 53 mill site, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 54 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 49-1, IL 52-2, IL 53-1, and IL 54-3-4694; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 21° 54' 32" E., 1767.47 ft. dist., previously described.
	Thence S. 89° 47' 10" W.
323. 53	Cor. No. 2, identical with Cor. No. 4 of the IL 53 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 49-2, and IL 53-4-4694.
. 4 7 5	Thence N. 30° 29' 50" E.
538.26	Cor. No. 3.
10 L mcl. 2	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 49-3-4694.
	Thence N. 57° 48' 18" W.

	SURVEY NO. 4694 10.
FEET	
365.91	Cor. No. 4, identical with Cor. No. 3 of the IL 46 mill site of this survey.
*	Thence EAST
359.95	Cor. No. 5, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 50, and Cors. Nos. 2 of the IL 46 and IL 47 mill sites of this survey.
	Thence S. 0° 00' 20" E.
328.93	Intersect Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 50, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 52 of this survey, hereinafter described.
657.55	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 50
	At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 50, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 52, Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 64, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 66 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 50-1, IL 52-4, IL 64-1, and IL 66-2-4694; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 08" W., 1968.21 ft. dist., previously described.
	Thence N. 89° 58' 48" W.
527.61	Road; bears N. 35° E. and S. 25° W.
659.61	Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 52, on line 5-1 of the IL 49 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 50-2, and IL 52-3-4694.
	Thence N. 0° 00' 20" W.
328.93	Cor. No. 3, identical with Cors. Nos. 2 of the IL 46 and IL 47 mill sites, and Cor. No. 5 of the IL 49 mill site of this survey.
	Thence S. 89° 58' 56" E.
- 4	

FEET	
	IL 53 Mill Site
	Beginning at Cor. No. 1 of the IL 53 mill site, identical with Cor. No. 1 of the IL 49 mill site, Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 52 and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 54 of this survey.
	Thence S. 0° 00' 20" E.
90	Road; bears N. 30° E., and S. 30° W.
225	Road; bears N. 30° W. and S. 30° E.
328.99	Intersect Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 54, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 56 of this survey, hereinafter described.
445.14	Road; bears N. 55° E. and S. 55° W.
658.14	Cor. No. 2, identical with Cors. Nos. 2 of the IL 55 mill site and the INSPIRATION MILL SITE NO. IL 56, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 58 of this survey.
Si tem A	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 53-2, IL 55-2, IL 56-2, and IL 58-3-4694.
	Thence N. 55° 36' 22" W.
188	Road; bears N. 53° E. and S. 53° W.
613.63	Cor. No. 3, identical with Cor. No. 3 of the IL 55 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 53-3, and IL 55-3-4694.
	Thence N. 30° 29' 50" E.
360.13	Cor. No. 4, identical with Cor. No. 2 of the IL 49 mill site of this survey.
1	Thence N. 89° 47' 10" E.
323.53	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 54
	At the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 54, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 56, Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 68, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 70 of this survey.

13.

		SURVEY NO. 4694 14.
	FEET	
,		of this survey.
		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 55-1, IL 58-2, IL 59-4-4694; from which
		The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 45° 17' 37" E., 927.80 ft., previously described.
		Thence N. 0° 00' 20" W.
	23.49	Intersect line 4-1 Sur. No. 4698 Bill Shaft No. 3 lode at a point from which Cor. No. 4 bears N. 59° 06' 09" W., 767.30 ft. dist.
	329.00	Cor. No. 2, identical with Cors. Nos. 2 of the IL 53 mill site and the INSPIRATION MILL SITE NO. IL 56, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 58 of this survey.
		Thence N. 55° 36' 22" W.
	188	Road; bears N. 53° E. and S. 53° W.
	613.63	Cor. No. 3, identical with Cor. No. 3 of the IL 53 mill site of this survey.
		Thence S. 30° 29' 50" W.
	131	Road; bears N. 30° W. and S. 30° E.
	299.57	Cor. No. 4, identical with Cor. No. 4 Sur. No. 4698 Bill Shaft No. 3 lode and Cor. No. 2 Sur. No. 4698 Bill Shaft No. 4 lode.
		To the surface of the existing 2 ins. diam. brass cap monument described in the official record of Sur. No. 4698, I add the following; IL 55-4-4694.
		Thence S. 57° 37' 17" E.
Ī	290	Road; bears N. 70° E. and S. 70° W.
	779.62	Cor. No. 1, and place of beginning.
		INSPIRATION MILL SITE NO. IL 56
		At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 56, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 58, Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 70, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 72 of this survey.
		Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 56-1, IL 58-4, IL 70-1, and IL 72-2-4694; from which

	SURVEY NO. 4694 15.				
FEET					
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 06" E., 981.51 ft. dist., previously described.				
	Thence N. 89° 59' 07" W.				
460	Road; bears N. 35° E. and S. 35° W.				
565.41	Road; bears N. 4° W. and S. 4° E.				
659.41	Cor. No. 2, identical with Cors. Nos. 2 of the IL 53 and IL 55 mill sites, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 58 of this survey.				
	Thence N. 0° 00' 20" W.				
213	Road; bears N. 55° E. and S. 55° W.				
329.15	Cor. No. 3, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 54, on line 1-2 of the IL 53 mill site of this survey.				
:01	Thence S. 89° 56' 15" E.				
55	Road; bears N. 25° W. and S. 25° E.				
519.47	Center of local drainage, 6 ft. wide, course N. 80° E.				
589.47	Shoulder of graded road; shoulder curves south- westerly and easterly.				
659.47	The true point for Cor. No. 4, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 54 and INSPIRATION MILL SITE NO. IL 68, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 70 of this survey.				
	This corner falls in the surface of a graded road, bearing E. and W., where a permanent mon-ument cannot be maintained.				
	Thence S. 0° 00' 22" W.				
12.89	A point selected for witness Cor. No. 4, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 54 and INSPIRATION MILL SITE NO. IL 68, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 70 of this survey.				
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - IL 54-1, IL 56-4, IL 68-1, and IL 70-2-4694.				
328.60	Cor. No. 1, and place of beginning.				

INSPIRATION MILL SITE NO. IL 58

At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 58, identical with Cor. No. 5 of the IL 59 mill site, Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 72, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 74 of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 58-1, IL 59-5, IL 72-1, and IL 74-2-4694; from which

The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 0° 00' 20" E., 652.75 ft. dist., previously described.

Thence S. 89° 59' 40" W.

- 482 Road; bears N. 8° E. and S. 15° W.
- 620.10 Intersect line 4-1 Sur. No. 4698 Bill Shaft
 No. 3 lode at a point from which Cor. No. 1
 bears S. 59° 06' 09" E., 682.70 ft. dist.
- 659.34 Cor. No. 2, identical with Cor. No. 1 of the IL 55 mill site and Cor. No. 4 of the IL 59 mill site of this survey.

Thence N. 0° 00' 20" W.

- 23.49 Intersect line 4-1 Sur. No. 4698 Bill Shaft
 No. 3 lode at a point from which Cor. No. 1
 bears S. 59° 06' 09" E., 728.42 ft. dist.
- 329.00 Cor. No. 3, identical with Cors. Nos. 2 of the IL 53 and IL 55 mill sites and the INSPIRATION MILL SITE NO. IL 56 of this survey.

Thence S. 89° 59' 07" E.

- 94 Road; bears N. 4° W. and S. 4° E.
- 199.41 | Road; bears N. 35° E. and S. 35° W.
- 659.41 Cor. No. 4, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 56 and INSPIRATION MILL SITE NO. IL 70, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 72 of this survey.

Thence S. 0° 00' 22" W.

328.76 | Cor. No. 1, and place of beginning.

	SURVEY NO. 4694 17
FEET	
5.	
6	IL 59 Mill Site
	At Carry N = 1 = 5 at 1 = 777 50 at 1
	At Cor. No. 1 of the IL 59 mill site, identical with Cor. No. 1 of the INSPIRATION MILL SITE
	NO. IL 76 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17
	ins. in the ground, with brass cap mkd. IL 59-1, and IL 76-1-4694; from which
	The standard cor. of secs. 34 and 35,
	T. 1 N., R. 14 E., G. & S. R. M., bears N. 0° 00' 20" W., 4.78 ft. dist.,
	previously described.
	Thence WEST
215.12	Cor. No. 2, established on line 1-2 Sur. No.
	4698 Bill Shaft No. 3 lode.
	Set an iron post, 2 ft. long, 1 ins. diam.,
	18 ins. in the ground, with brass cap mkd.
	IL 59-2-4694.
11 F	Thence N. 30° 29' 50" E.
	Thence N. 30 29 30 E.
5.43	Intersect the Gila and Salt River Base Line,
	being also the line between secs. 34 and 2,
	at a point from which the standard sec. cor. of secs. 34 and 35 bears N. 89° 58' 25" E.,
	212.36 ft. dist.
356.18	Cor. No. 3, identical with Cor. No. 1 Sur. No.
550.20	4698 Bill Shaft No. 3 lode.
	To the surface of the existing 2 ins. diam. brass cap monument described in the official
	record of Sur. No. 4698 I add the following:
	IL 59-3-4694.
nume n S	Thence N. 60° 42' 50" W.
	A STATE OF THE STA
523	Road; bears NORTH and S. 12° E.
716.65	Cor. No. 4, identical with Cor. No. 1 of the
	IL 55 mill site and Cor. No. 2 of the
	INSPIRATION MILL SITE NO. IL 58 of this survey.
	Thence N. 89° 59' 40" E.
20.04	
39.24	Intersect line 4-1 Sur. No. 4698 Bill Shaft No. 3 lode at a point from which Cor. No. 1 bears
	S. 59° 06' 09" E., 682.70 ft. dist.
177.34	Ponds home N 9º E and G 15º W
1//.34	Road; bears N. 8° E. and S. 15° W.

	SURVEY NO. 4694 19
FEET	
51.05	Intersect Cor. No. 2 of the IL 65 mill site, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 64 of this survey, hereinafter described.
709.33	Cor. No. 1, and place of beginning.
V = 11	INSPIRATION MILL SITE NO. IL 64
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 64, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 50, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 52, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 66 of this survey.
9 6	Thence N. 0° 00' 22" E.
328.96	Cor. No. 2, identical with Cors. Nos. 1 of the IL 47 and IL 62 mill sites and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 50 of this survey.
	Thence N. 89° 48' 13" E.
658.28	Cor. No. 3, identical with Cor. No. 2 of the IL 65 mill site, on line 4-1 of the IL 62 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 64-3, and IL 65-2-4694.
and the second	Thence S. 0° 00' 29" E.
329.95	Cor. No. 4, identical with Cor. No. 1 of the IL 65 mill site, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 66, and Cor. No. 5 of the IL 67 mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 64-4, IL 65-1, IL 66-3, and IL 67-5-4694.
	Thence S. 89° 53' 25" W.
658.36	Cor. No. 1, and place of beginning.
2	IL 65 Mill Site
	Beginning at Cor. No. 1 of the IL 65 mill site, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 64, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 66, and Cor. No. 5 of the IL 67 mill site of this survey; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 18° 29' 10" W., 2076.62 ft. dist., previously described.

	201
FEET	
	Thence N. 0° 00' 29" W.
329.95	Cor. No. 2, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 64, on line 4-1 of the IL 62 mill site of this survey.
- 4-17-	Thence N. 89° 48' 13" E.
51.05	Cor. No. 3, identical with Cor. No. 4 of the IL 62 mill site, of this survey, on line 1-2 Sur. No. 4684B LOTUS MILL SITE 7.
ale in a	Thence S. 57° 55' 40" E.
440.28	Intersect Cor. No. 1 Sur. No. 4684B LOTUS MILL SITE 7, identical with Cor. No. 2 Sur. No. 4684B LOTUS MILL SITE 8.
621.72	Cor. No. 4, identical with Cor. No. 4 of the IL 67 mill site of this survey, established on line 1-2 Sur. No. 4684B LOTUS MILL SITE 8.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 65-4, and IL 67-4-4694.
49 23 %	Thence WEST
577.84	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 66
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 66, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 52, Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 54, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 68 of this survey.
	Thence N. 0° 00' 22" E.
328.80	Cor. No. 2, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 50 and INSPIRATION MILL SITE NO. IL 64, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 52 of this survey.
	Thence N. 89° 53' 25" E.
658,36	Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 64, Cor. No. 1 of the IL 65 mill site, and Cor. No. 5 of the IL 67 mill site of this survey.
	Thence S. 0° 00' 29" E.
75m	

		50RVE1 NO. 4694
	FEET	
	328.72	Cor. No. 4, identical with Cors. Nos. 1 of the IL 67 mill site and INSPIRATION MILL SITE NO. IL 69, and Cor. No. 3 of the INSPIRATION MILL SITE NO. 68 of this survey.
		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 66-4, IL 67-1, IL 68-3, and IL 69-1-4694.
	7. T.	Thence S. 89° 53' W.
	386.45	Center of local drainage, 6 ft. wide, course S. 10° W.
	658.45	Cor. No. 1, and place of beginning.
		IL 67 Mill Site
		Beginning at Cor. No. 1 of the IL 67 mill site, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 66, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 68, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 69 of this survey; from which
		The standard sec. cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 21° 52' 02" W., 1767.95 ft. dist., previously described.
		Thence S. 89° 55' 37" E.
	642	Road; bears N. 25° E. and S. 25° W.
7	658.82	Cor. No. 2, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 69 and the IL 78 mill site and Cor. No. 3 of the IL 79 mill site of this survey.
		Set an iron post, 2 ft. long, l ins. diam., l6 ins. in the ground, with brass cap mkd. IL 67-2, IL 69-2, IL 78-2, and IL 79-3-4694.
		Thence N. 0° 00' 40" W.
	35	Road; bears N. 20° E. and S. 20° W.
	278.83	Cor. No. 3, identical with Cor. No. 3 of the IL 78 mill site of this survey, established on line 1-2 Sur. No. 4684B LOTUS MILL SITE 8.
3		Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 67-3, and IL 78-3-4694; from which
	* × × × × × × × × × × × × × × × × × × ×	Cor. No. 2 Sur. No. 4684B LOTUS MILL SITE 8, identical with Cor. No. 1 Sur. No. 4684B LOTUS MILL SITE 7, bears N. 57° 55' 40" W., 181.44 ft. dist.
		Thence N. 57° 55' 40" W.

FEET	SURVEY NO. 4694 22.
FEEI	
95.55	Cor. No. 4, identical with Cor. No. 4 of the IL 65 mill site of this survey, on line 1-2 Sur. No. 4684B LOTUS MILL SITE 8.
	Thence WEST
577.84	Cor. No. 5, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 64, Cor. No. 1 of the IL 65 mill site, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 66 of this survey.
	- Fill I remirate East. In state I' I'm a
	Thence S. 0° 00' 29" E.
328.72	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 68
e in the second	Beginning at the true point for Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 68, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 54, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 56, and Cor. No. 2 of the
A.S.	INSPIRATION MILL SITE NO. IL 70 of this survey. This corner falls in the surface of a graded road bearing E. and W. where a permanent monument cannot be maintained; witnessed S. 0° 00' 22" W., 12.89 ft. dist., previously described.
	Thence N. 0° 00' 22" E.
20.30	Center of local drainage, 6 ft. wide, course EAST.
329.30	Cor. No. 2, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 52 and INSPIRATION MILL SITE NO. IL 66, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 54 of this survey.
	Thence N. 89° 53' E.
272	Center of local drainage, 6 ft. wide, course S. 10° W.
658.45	Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 66, and Cors. Nos. 1 of the IL 67 mill site and the INSPIRATION MILL SITE NO. IL 69 of this survey.
	Thence S. 0° 00' 29" E.
239.06	A point selected for witness Cor. No. 4, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 70, and Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 69 and INSPIRATION MILL SITE NO. IL 71 of this survey.

	SURVEY NO. 4694 23.
FEET	
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. WC - IL 68-4, IL 69-4, IL 70-3, and IL 71-4-4694.
279.13	Road; bears S. 70° E. and N. 70° W.
329.13	The true point for Cor. No. 4, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 70, and Cors. No. 4 of the INSPIRATION MILL SITE NO. IL 69 and INSPIRATION MILL SITE NO. IL 71 of this survey.
, - 22	This corner falls in the bottom of a small ravine, course S. 75° E., where a permanent monument cannot be established.
	Thence S. 89° 52' 07" W.
510	Shoulder of graded road; shoulder curves westerly and northeasterly.
658.53	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 69
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 69, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 66, Cor. No. 1 of the IL 67 mill site, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 68 of this survey.
	Thence S. 89° 55' 37" E.
642	Road; bears N. 25° E. and S. 25° W.
658.82	Cor. No. 2, identical with Cors. Nos. 2 of the IL 67 and IL 78 mill sites, and Cor. No. 3 of the IL 79 mill site of this survey.
	Thence S. 0° 00' 40" E.
328.76	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 71, Cor. No. 2 of the IL 79 mill site, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 69-3, IL 71-3, IL 79-2, and IL 80-4-4694.
	Thence N. 89° 57' 33" W.
208	Road; bears N. 40° E. and S. 50° W.
472	Road; bears N. 33° W. and S. 33° E.

Thence S. 0° 00' 29" E.

described.

		SURVEY NO. 4694 25
	FEET	
	329.11	Cor. No. 4, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 71 and the INSPIRATION MILL SITE NO. IL 73, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 72 of this survey.
٠		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 70-4, IL 71-1, IL 72-3, and IL 73-1-4694.
		Thence S. 89° 54' 45" W.
	658.61	Cor. No. 1, and place of beginning.
		INSPIRATION MILL SITE NO. IL 71
		Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 71, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 70, Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 72, and Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 73 of this survey; from which
		The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 33° 50' 03" W., 1182.82 ft. dist., previously described.
		Thence N. 89° 59' 40" E.
	339	Center of local drainage, 8 ft. wide, course S. 5° W.
	622	Center of Bloody Tanks Wash, 14 ft. wide, course N. 55° E.
	658.85	The true point for Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 73 and Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 80 and the INSPIRATION MILL SITE NO. IL 81 of this survey.
		This corner falls on the bank of Bloody Tanks Wash in a position subject to erosion by high water; witnessed S. 0° 00' 40" E., 97.91 ft. dist., hereinafter described.
		Thence N. 0° 00' 40" W.
	11	Center of Bloody Tanks Wash, 16 ft. wide, course N. 80° E.
	328.58	Cor. No. 3, identical with Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 69, Cor. No. 2 of the IL 79 mill site, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
		Thence N. 89° 57' 33" W.
١		

	SURVEY NO. 4694 2
FEET	
208	Road; bears N. 40° E. and S. 50° W.
472	Road; bears N. 33° W. and S. 33° E.
658.84	The true point for Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 68 and INSPIRATION MILL SITE NO. IL 69, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 70 of this survey.
	This corner falls in the bottom of a small ravine, course S. 75° E., where a permanent monument cannot be established; witnessed N. 0° 00' 29" W., 90.07 ft. dist., previously described.
	Thence S. 0° 00' 29" E.
329.11	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 72
	Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 72, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 58, Cor. No. 5 of the IL 59 mill site, and Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 74 of this survey.
	Thence N. 0° 00' 22" E.
328.76	Cor. No. 2, identical with Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL 56 and INSPIRATION MILL SITE NO. IL 70, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 58 of this survey
	Thence N. 89° 54' 45" E.
658.61	Cor. No. 3, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 70, and Cors. Nos 1 of the INSPIRATION MILL SITE NO. IL 71 and INSPIRATION MILL SITE NO. IL 73 of this survey
	Thence S. 0° 00' 29" E.
329.24	Cor. No. 4, identical with Cors. Nos. 4 of the INSPIRATION MILL SITE NO. IL 73 and INSPIRATION MILL SITE NO. IL 75, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 74 of this survey
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, mkd. IL 72-4, IL 73-4, IL 74-3, and IL 75-4-4694.
, 1374	Thence S. 89° 57' 17" W.
658.69	Cor. No. 1, and place of beginning.

survey.

		SURVET NO. 4094 30
	FEET	*
		INSPIRATION MILL SITE NO. IL 76
	+- ,44-1	Beginning at Cor. No. 1 of the INSPIRATION
		MILL SITE NO. IL 76, identical with Cor.
		No. 1 of the IL 59 mill site of this survey.
		Thence N. 0° 00' 20" W.
	1000 20	Thence W. 0 00 20 w.
	4.78	Intersect the standard cor. of secs. 34 and
		35, T. 1 N., R. 14 E., G. & S. R. M., previ-
		ously described.
	328.52	Cor. No. 2, identical with Cor. No. 1 of the
		INSPIRATION MILL SITE NO. IL 74, on line 5-1
		of the IL 59 mill site of this survey.
-	1007	Thence N. 89° 58' 57" E.
	V 101 610	
	658.69	Cor. No. 3, identical with Cor. No. 4 of the
		INSPIRATION MILL SITE NO. IL 74, and Cors. Nos. 1 of the INSPIRATION MILL SITE NO. IL
		75 and INSPIRATION MILL SITE NO. IL 77 of
		this survey.
	1	Thence S. 0° 00' 20" E.
	323.79	Intersect the Gila and Salt River Base Line,
		being also the line between secs. 35 and 2,
		at a point from which the standard cor. of
	der a der v	secs. 34 and 35 bears S. 89° 59' 14" W., 658.69 ft. dist.
	ALC: OH	030.09 II. dist.
	328.66	Cor. No. 4, identical with Cor. No. 4 of the
	1002	INSPIRATION MILL SITE NO. IL 77 of this
		survey.
		Set an iron post, 2 ft. long, 1 ins. diam.,
		17 ins. in the ground, with brass cap mkd.
		IL 76-4, and IL 77-4-4694.
		Thence S. 89° 59' 40" W.
	100	
	658.69	Cor. No. 1, and place of beginning.
	THE PARTY OF	
		INSPIRATION MILL SITE NO. IL 77
	100	a sel a sercial deservice and a second
		Beginning at Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 77, identical with Cor. No.
		4 of the INSPIRATION MILL SITE NO. IL 74, Cor.
	I have	No. 1 of the INSPIRATION MILL SITE NO. IL 75,
	z 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6	and Cor. No. 3 of the INSPIRATION MILL SITE
		NO. IL 76 of this survey.
		Thence S. 89° 59' 25" E.
	616	almined in social day in it. i
	642	Center of U.S. Highway 60, width 32 ft., bears N. 35° E. and S. 33° W.
		Deals N. JJ E. and S. JJ W.

SURVEY NO. 4694

790		SURVEY NO. 4694 31.
	FEET	
	658.90	The true point for Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 75 and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 82 of this survey.
8		This corner falls amid broken rock fill just below the shoulder of U.S. Highway 60 where a permanent monument cannot be established; witnessed N. 0° 00' 40" W., 98.41 ft. dist., previously described.
	S 8	Thence S. 0° 00' 40" E.
	100	Center of Bloody Tanks Wash, 12 ft. wide, course N. 35° E.
	323.54	Intersect the Gila and Salt River Base Line, being also the line between secs. 35 and 2, at a point from which the standard cor. of secs. 34 and 35 bears S. 89° 59' 14" W., 1317.62 ft. dist.
	328.52	Cor. No. 3.
		Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. IL 77-3-4694.
	8	Thence S. 89° 59' 50" W.
	144	Center of Bloody Tanks Wash, 12 ft. wide, course N. 20° E.
	237	Center of U.S. Highway 60, width 32 ft., bears N. 43° E. and S. 45° W.
	658.93	Cor. No. 4, identical with Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 76 of this survey.
	Feet of the	Thence N. 0° 00' 20" W.
	4.87	Intersect the Gila and Salt River Base Line, being also the line between secs. 35 and 2, at a point from which the standard cor. of secs. 34 and 35 bears S. 89° 59' 14" W., 658.69 ft. dist.
	328.66	Cor. No. 1, and place of beginning.
	1 00.00	
		IL 78 Mill Site
	.0	At Cor. No. 1 of the IL 78 mill site, identical with Cor. No. 4 of the IL 79 mill site of this survey, and Cor. No. 1 Sur. No. 4684B LOTUS MILL SITE 8, and Cor. No. 2 Sur. No. 4684B LOTUS MILL SITE 9.
	1	

	SURVEY NO. 4694 324
FEET	
	To the surface of the existing 2 ins. diam. brass cap monument described in the official record of Sur. No. 4684B, I add the following; IL 78-1, and IL 79-4-4694; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 45° 16' 19" W., 2388.44 ft. dist., previously described.
	Thence S. 83° 50' 40" W.
381.78	Cor. No. 2, identical with Cors. Nos. 2 of the IL 67 mill site and the INSPIRATION MILL SITE NO. IL 69, and Cor. No. 3 of the IL 79 mill site of this survey.
	Thence N. 0° 00' 40" W.
35	Road; bears N. 20° E. and S. 20° W.
278.83	Cor. No. 3, identical with Cor. No. 3 of the IL 67 mill site of this survey, on line 1-2 Sur. No. 4684B LOTUS MILL SITE 8.
	Thence S. 57° 55' 40" E.
88	Road; bears N. 80° E. and S. 70° W.
448.01	Cor. No. 1, and place of beginning.
	IL 79 Mill Site
	At Cor. No. 1 of the IL 79 mill site, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. IL 79-1, and IL 80-1-4694; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 56° 26' 24" W., 2371.72 ft. dist., previously described.
,	Thence N. 89° 59' 48" W.
659.01	Cor. No. 2, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 69 and INSPIRATION MILL SITE NO. IL 71, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
	Thence N. 0° 00' 40" W.
107	

33

	SURVEY NO. 4694 34.
FEET	
328.58	Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 69 and INSPIRATION MILL SITE NO. IL 71, and Cor. No. 2 of the IL 79 mill site of this survey.
	Thence S. 89° 59' 48" E.
659.01	Cor. No. 1, and place of beginning.
	INSPIRATION MILL SITE NO. IL 81
	At Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 81, identical with Cor. No. 1 of the INSPIRATION MILL SITE NO. IL 82 of this survey
	Set an iron post, 2 ft. long, 1 ins. diam., 16 ins. in the ground, with brass cap mkd. IL 81-1, and IL 82-1-4694; from which
	The standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., G. & S. R. M., bears S. 71° 43' 17" W., 2081.53 ft. dist., previously described.
	Thence N. 0° 00' 40" W.
104	Center of U.S. Highway 60, width 32 ft., bears N. 82° E. and S. 79° W.
198	Center of Bloody Tanks Wash, 18 ft. wide, course S. 85° E.
328.25	Cor. No. 2, identical with Cor. No. 2 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
	Thence N. 89° 52' 20" W.
450	Center of Bloody Tanks Wash, 18 ft. wide, course S. 75° E.
659.01	The true point for Cor. No. 3, identical with Cors. Nos. 2 of the INSPIRATION MILL SITE NO. IL 71 and INSPIRATION MILL SITE NO. IL 73, and Cor. No. 3 of the INSPIRATION MILL SITE NO. IL 80 of this survey.
	This corner falls on the bank of Bloody Tanks Wash in a position subject to erosion by high water.
	Thence S. 0° 00' 40" E.
97.91	Witness Cor. No. 3, previously described.
329.24	Cor. No. 4, identical with Cors. Nos. 3 of the INSPIRATION MILL SITE NO. IL 73 and INSPIRATION MILL SITE NO. IL 75, and Cor. No. 4 of the INSPIRATION MILL SITE NO. IL 82 of this survey.
	Thence S. 89° 57' 30" E.

FEET		
	ADEAG	A
	AREAS	Acres
	Total area, IL 40 mill site	3.359
	Area in conflict with	
1	Sur. No. 4684A BLUEBIRD NO. 19 AMENDED	0.400
	Sur. No. 4684A BLUEBIRD NO. 20 lode	0.430 0.276
	Sur. No. 4684A BLUEBIRD NO. 20 lode,	0.270
	exclusive of its conflict with:	
	(1) Sur. No. 4684A BLUEBIRD NO. 19	0.110
	AMENDED lode Total area, IL 42 mill site	0.110 3.896
	Total area, IL 43 mill site	2.997
	Area in conflict with	
	Sur. No. 4684A BLUEBIRD NO. 19 AMENDED	0.000
	Sur. No. 4684A BLUEBIRD NO. 20 lode	0.906 0.053
	Sur. No. 4684A BLUEBIRD NO. 20 lode,	0.033
100	exclusive of its conflict with:	4 7
	(1) Sur. No. 4684A BLUEBIRD NO. 19	0.000
	AMENDED lode Sur. No. 4684B JOAN MILL SITE 55	0.000 0.775
	Sur. No. 4684B JOAN MILL SITE 55,	0.775
	exclusive of its conflict with:	
1000	(1) Sur. No. 4684A BLUEBIRD NO. 19 AMENDED lode	0.740
	Total area, IL 44 mill site	0.749 4.621
	Total area, IL 45 mill site	4.753
	Area in conflict with-	
		0.293 0.127
2.1		4.939
	Total area, IL 47 mill site	4.820
	Total area, IL 49 mill site	2.904
1	Total area, INSPIRATION MILL SITE NO. IL 50	4.981
	Total area, INSPIRATION MILL SITE	
	NO. IL 52	4.977
	Total area, IL 53 mill site Total area, INSPIRATION MILL SITE	4.975
	NO. IL 54	4.983
in dead	Total area, IL 55 mill site	4.591
	Area in conflict with	
-	Sur. No. 4698 Bill Shaft No. 3 lode Total area, INSPIRATION MILL SITE	0.178
10-2-1	NO. IL 56	4.979
100	Total area, INSPIRATION MILL SITE	îu l
	NO. IL 58 Area in conflict with	4.978
		0.011
	Total area, IL 59 mill site	3.671
	Area in conflict with	0 150
	Sur. No. 4698 Bill Shaft No. 3 lode Sec. 2, T. 1 S., R. 14 E., G.&S.R.M.	0.158
	Total area, IL 62 mill site	3.634
	Total area, INSPIRATION MILL SITE	
	NO. IL 64	4.979 2.383
	Total area, IL 65 mill site Total area, INSPIRATION MILL SITE	2.303
	NO. IL 66	4.969
	Total area, IL 67 mill site	4.931

	Total area, INSPIRATION MILL SITE	
	NO. IL 68	4.977
	Total area, INSPIRATION MILL SITE NO. IL 69	/ 075
	Total area, INSPIRATION MILL SITE	4.975
	NO. IL 70	4.972
	Total area, INSPIRATION MILL SITE	4.312
	NO. IL 71	4.974
	Total area, INSPIRATION MILL SITE	
	NO. IL 72	4.975
	Total area, INSPIRATION MILL SITE	
	NO. IL 73	4.980
	Total area, INSPIRATION MILL SITE	
	NO. IL 74	4.978
	Total area, INSPIRATION MILL SITE	
	NO. IL 75	4.983
	Total area, INSPIRATION MILL SITE NO. IL 76	/ 060
	Area in conflict with	4.969
	Sec. 2, T. 1 S., R. 14 E., G. & S. R. M.	0.073
	Total area, INSPIRATION MILL SITE	0.073
	NO. IL 77	4.971
	Area in conflict with	
	Sec. 2, T. 1 S., R. 14 E., G. & S. R. M.	0.075
	Total area, IL 78 mill site	1.215
	Total area, IL 79 mill site	4.853
	Total area, INSPIRATION MILL SITE	
	NO. IL 80	4.982
¥	Total area, INSPIRATION MILL SITE	
Ê	NO. IL 81	4.974
	Total area, INSPIRATION MILL SITE NO. IL 82	/ 000
	MO. TP OS	4.986

LOCATION

This survey is located in Uns. secs. 34 and 35, T. 1 N., R. 14 E., and in Sec. 2, T. 1 S., R. 14 E., of the Gila and Salt River Meridian.

The survey of the thirty-six (36) mill site claims embraced in the order for mineral survey and described herein is identical with the respective locations or amended locations as marked on the ground.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3953 Copper Fortune lode: Cors. Nos. 3 and 4 are $2^{\frac{1}{2}}$ ins. diam. brass-capped pipes, firmly set and properly marked except that the letters I.C.C.Co. have been included on the caps. These pipes were purportedly set many years ago in the identical positions formerly occupied by the original pine posts which were rotting away, according to the testimony of

Herbert H. Mellus, Chief Mining Engineer for Inspiration Consolidated Copper Company, owners of all the lodes embraced within Sur. No. 3953. As no superior evidence could be found pertaining to the proper placement of these corner monuments, all are accepted as correct. Line 3-4 was found to be S. 8° 56' 25" W., 1249.55 ft., instead of S. 8° 53' W., 1249.7 ft. dist., as approved.

Sur. No. 3953 Copper Panther No. 2 lode: Cors. Nos. 1 and 2 are $2\frac{1}{2}$ ins. brass-capped pipes of the type described in the preceding paragraph. Line 1-2 was found to be S. 83° 15' 42" W., 601.09 ft., instead of S. 83° 17' W., 600 ft., as approved.

Sur. No. 3953 Candelaria lode: Cor. No. 4 is a $2\frac{1}{2}$ ins. brass-capped pipe of the type described in the two preceding paragraphs. Lines 3-4 and 4-1 are shown as approved.

Sur. No. 4684 A&B BLUEBIRD NO. 19 AMENDED lode, BLUEBIRD NO. 20 lode, JOAN MILL SITE 55, LOTUS MILL SITE 6, LOTUS MILL SITE 7, LOTUS MILL SITE 8, and LOTUS MILL SITE 9: All corners are 2 ins. diam. brass caps mounted atop 1 ins. diam. galv. pipe posts, excepting Cors. Nos. 3 and 4 of JOAN MILL SITE 55 which were never monumented during the execution of Sur. No. 4684 B. All lines are shown as approved.

Sur. No. 4698 Bill Shaft No. 3 lode: Cor. No. 2 is witnessed as described in the official record for Sur. No. 4698. Cors. Nos. 1 and 4, as well as witness Cor. No. 2 are 2 ins. diam. brass caps mounted atop 1 ins. diam. galv. pipe posts. Lines 4-1 and 1-2 are shown as approved.

The line between the standard ½ sec. cor. of sec. 34, T. 1 N., R. 14 E., and the standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., bears N. 89° 58' 25" E., 2634.70 ft. dist., instead of N. 89° 58' E., 2638.02 ft. dist., as approved, 1967 Dependent Resurvey, or EAST, 2640 ft. dist., as approved 1906 Resurvey.

The line between the standard cor. of secs. 34 and 35, T. 1 N., R. 14 E., and the standard ½ sec. cor. of sec. 35, T. 1 N., R. 14 E., bears N. 89° 59' 14" E., 2634.67 ft. dist., instead of EAST 2637.36 ft. dist., as approved 1967 Dependent Resurvey, or EAST, 2640 ft. dist., as approved 1906 Resurvey.

FIELD ASSISTANTS

Name

Capacity

Loren E. Bunney

Instrumentman

Joseph E. Cummings

Chainman

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

41

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor	Date							
Travis L. Gant	April 3, 1972							
	noenix, Arizona, re carefully executed the survey of the claim							
situated in Uns. secs. 34 and 35, Township 1 North, and in sec. 2, Township 1 South, Range 14 East, Gila and Salt River Meridian, in the State of Arizona								
This survey, designated as number 4694 , has been exe been made in strict conformity with said order, the Manual of Ins the United States, and in specific manner described in the foreg	ecuted by me and under my direction and has structions for the Survey of Public Lands of going field notes.							
I FURTHER CERTIFY That the labor expended and improvem (lode or placer)	nents made upon and for the benefit of the location(s)							
embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, lo full detail. No portion of, or interest in, said labor and improve cluded in the estimate of expenditures upon any other claim.	ocation, and itemized value are specified in							
Globe, Arizona	Pravis L. Sant							
(Location)	(Signature of Mineral Surveyor)							
CERTIFICATE OF APPR	OVAL Office Arizona State Office Location Phoenix, Arizona							
	Date March 5, 1973							
	, in Uns. Secs. 34&35, T. 1 N.,R.14 eyedunsurveyed Township 1 S. , State of Arizona , Mineral Surveyor, been critically examined and the necessary field notes and the survey therein described							
Actin	ng State Director							
Edward J. Hoffman								
CERTIFICATE OF TRANS	CRIPT							
HEREBY CERTIFY That the foregoing transcript of field no number is a true copy of the original field notes.	tes of the above-described mineral survey							
(Authorized Signature)	(m., l							

Page 2 of 2

- * IL 40
 - IL 42 thru IL 47
 - IL 49
 - IL 53
 - IL 55
 - IL 59
 - IL 62
 - IL 65
 - IL 67
 - IL 78
 - IL 79

INSPIRATION MILL SITES NOS. IL 50

- IL 52
- IL 54
- IL 56
- IL 58
- IL 64
- IL 66 thru IL 77
- IL 80 thru IL 82

